


# DESCRIPTION

Name :Mia Munay Días





# TUCAN

- Scientific name:
- THE GENERAL SCIENTIFIC NAME FOR THE TOUCAN FAMILY IS RAMPHASTIDEA. HOWEVER, THE SPECIFIC SCIENTIFIC NAME VARIES ACCORDING TO THE SPECIES, SUCH AS, FOR EXAMPLE, THE LARGE TOUCAN TOCO TOUCAN IS CALLED RAMPHASTOS TOCO AND THE RAINBOW-BILLED TOUCAN IS CALLED RAMPHASTOS SULFURATUS





HABITAT :

THE TOUCAN S IS THE  
TROPICAL AND  
SUBTROPICAL FOREST  
OF AMERICA FROM  
SOUTHEASTER  
MEXICO SOUTH  
AMERICA





## PHISICAL CHARACTERISTIC

THE MAIN PHYSICAL CHARACTERISYIC OF THE TOUCAN INCLUDE ITS ENORMOUS AND COLOUSFUL BEAK WHICH CAN BE LORGE THAN ITS OWN HEAD AND STRIKING PLUMAGE WHIT VIBRANT COLORS THAT VARY DEPENDING ON THE SPECIES





BEHAVIOUR  
TOUCANS ARE SOCIAL  
OMNIVOROUS BIRDS WITH  
INTERESTING BEHAVIORS SUCH  
AS FEEDING ON A VARIED DIET  
THAT INCLUDES FRUITS  
INSECTS AND SMALL  
VERTEBRATES IN ADDITION TO  
BEING AGGRESSIVE PRADATORS  
OF EGGS AND CHICKS OTHER  
BIRDS





## WHAT DOES IT EAT

TOUCANS ARE OMNIVORES ALTHOUGH THEY ARE CONSIDERED PRIMARILY FRUGIVORE AS THEIR DIET IS MAINLY COMPOSED OF FRUITS. THEY ALSO SUPPLEMENT THEIR DIET WITH OTHER FOODS SUCH AS INSECT, LIZARDS, RODENT, SMALL BIRDS AND FROM OTHER BIRDS.



| pangearimals.com | @pangearimals |



## GESTATION

THE INCUBATION OF TUCAN EGGS LAST BETWEEN 15 AND 20 DAYS .DURING THISPERIOD BOTH THE MALE AND THE FEMALE TAKEVTURS INCUBATION THE EGGS ,WHICH AREVLAI IN TREE HOLLOW





DEPREDADOR THE YUOCANS  
MAIN PREDATORS ARE BIRDS OF  
PREY SUCH AS  
AESGLES ,HAWKS,AND OLS AS  
WELLAS LARGE MAMMALS LIKE  
JAGUARS AND BOAS

